

**DESCRIPTION** Aliphatic one-component. In solvent mixture. Soft.

**USE** The product shall be used as skin, when soft hand and lightfastness are the main required characteristics.

<b>Characteristics of the product</b>	<i>Aspect:</i>	Viscous liquid
	<i>Dry Content:</i>	25,00%± 1
	<i>Solvent/s</i>	Alcohols/diethyl carbonate
	<i>Viscosity:</i>	15.000 - 30.000 mPa.s

<b>Physical characteristics of the dry film</b>	<i>Modulus 100% (Kg/cm2):</i>	35
	<i>Modulus 300% (Kg/cm2):</i>	70
	<i>Tensile Stenght(Kg/cm2):</i>	530
	<i>Elongation(%):</i>	670
	<i>T.Kofler (softening) (°C):</i>	190
	<i>T.Kofler (melting point)(°C):</i>	210

<b>Modifiers</b>	<i>For a matt effect</i>	IMASTER 20
	<i>For the pigmentation</i>	NOVA TC ND
	<i>For the colouring</i>	IMACOLOR
	<i>To improve the spreading</i>	IMASI 20, IMASIL S 100

<b>Packing</b>	<i>Metal drums of Kgs:</i>	180
----------------	----------------------------	-----

**Storage** The product must be stored at temperatures between -1 °C and 30 °C. In this conditions the product is stable for 6 months

**Notes** KEEP PACKINGS PERFECTLY SEALED

<b>Legend</b>	N.A. = NOT APPLIABLE	N.D. = NON DETERMINED	F.C. = FORD CUP
<i>First issuing date:</i>	06/11/2014	<i>Revision date:</i>	06/11/2014
		<i>Revision nr.:</i>	
		<i>Print date:</i>	29/07/2019